

NOTICE OF HEARING UPON APPLICATIONS FOR
Transfer of Alcoholic Beverages

NOTICE IS HEREBY GIVEN THAT a public hearing shall be conducted at 7 p.m. on Monday, March 7, 2016 by the Common Council of the City of North Sioux City, South Dakota to consider the transfer of a Retail Liquor License for the following applicant:

Transfer Retail Liquor On-Off Sale License:

From:

McCook Lake Recreation, d/b/a Ike's Clubhouse, 215 Suncoast Drive,
North Sioux City SD 57049, Lot 1, Blk 1, Adams Add (2.06A), Union County,
South Dakota

To:

Brown Aces, Inc., d/b/a Sugar Daddy's, North Sioux City, SD 57049, 100 Military
Road, North Sioux City SD 57049, NE ¼ of outlet 5 Gov't Lot 2 S14-T89N R48
West of the 5th PM, North Sioux City, Union County, South Dakota

NOTICE IS FURTHER GIVEN that said applications will be heard and considered by the Common Council of North Sioux City at City Hall, 504 River Drive, North Sioux City, South Dakota. At that time any person interested in the approval or rejection of any such application may appear and be heard.

Dated this 5th day of February, 2016, at North Sioux City, South Dakota.

Susan Kloostra
Finance Officer

Published: Feburary11, 2016



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 23, 2016

Ms. Susan Kloostra
City of North Sioux City
504 River Drive

North Sioux City, SD 57049

SENT VIA EMAIL ONLY TO susan.kloostra@northsiouxcity-sd.gov AND tim.hogan@northsiouxcity-sd.gov

RE: Annual Drinking Water Report for City of North Sioux City (EPA ID 0226)

Dear Ms. Kloostra:

It is time again for all community public water systems to issue the annual *Drinking Water Report* to their customers. The intent of this requirement is to ensure that consumers using your system know about the quality of their drinking water. Each community public water system must make the drinking water report available to its individual customers by **July 1, 2016** for water quality data collected during or prior to calendar year 2015.

The Department of Environment and Natural Resources (DENR) has generated a drinking water report for your system. **Check the information in the attached report for accuracy and make changes as required. Distribute the report to your customers, and send a copy to DENR with the certification form as soon as possible but no later than July 1, 2016.** If you determine the attached report is correct you can use DENR's report to distribute to your customers. Be sure to indicate that you are using DENR's report by marking the check box on the certification form. ***By marking the check box, your system will not be required to submit a copy of the report to DENR.***

Microsoft Word versions of your 2015 Drinking Water Report has been sent to the finance officer and the utility manager. You can use this electronic link for electronic distribution of your 2015 Drinking Water Report: <http://denr.sd.gov/des/dw/pdf/DWQPDFs/0226ccr.pdf> . If you have questions concerning the content or distribution of the drinking water report, please contact me at (605)773-6576.

Sincerely,

Mitchel Williams
Drinking Water Program

cy: Tim Hogan, Utility Manager

Instructions for Report Delivery and Recordkeeping

The City of North Sioux City public water system must distribute the report and the Department of Environment and Natural Resources must receive a copy of your report no later than July 1, 2016.

Your community water system qualifies for a waiver. Rather than distribute a copy of the report to each of your customers, you can take these steps:

Step 1 - Publish the Drinking Water Report annually in one or more local newspapers serving the areas in which the your customers are located.

Step 2 - Inform your customers that the report will not be mailed either in the newspapers in which the reports are published or by other means approved by DENR.

Step 3 - Make copies of the Drinking Water Report available upon request.

A good faith effort must be made to reach all of your consumers. EPA has determined that electronic delivery of the CCR is appropriate under certain circumstances. Information on the electronic delivery requirements is available online at <http://denr.sd.gov/des/dw/DrinkingWaterReport.aspx>. Your water system must make the report available upon request and keep it on file for three years. The Department of Environment and Natural Resources must receive a copy of your report no later than July 1, 2016. **Complete the following form and return it to us after you distribute the drinking water report to your customers.**

2015 Annual Drinking Water Report Certification of Distribution City of North Sioux City

I certify that the information contained in the drinking water report for the City of North Sioux City is true and correct based upon my best information, knowledge, or belief and that the report has been distributed as required and a good faith effort has been made to reach all consumers. The City of North Sioux City public water system has returned a copy of the drinking water report to the Department of Environment and Natural Resources and will make the report available upon request for three years.

Signature of Authorized Representative

Date

I have checked the accuracy of the Drinking Water Report sent by DENR and have determined that it is complete and accurate. I am using DENR's report to distribute to my customers, therefore I am not required to return a copy of the report to DENR.

You can contact us by calling
(605) 232-4276 or write us at
504 River Drive
North Sioux City SD 57049

City of North Sioux City

2015 Drinking Water Report

It's your tap water!



EPA ID: 0226



Water Quality

Last year, the City of North Sioux City monitored your drinking water for possible contaminants. This brochure is a snapshot of the quality of the water that we provided last year. Included are details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards. We are committed to providing you with information because informed customers are our best allies.

Water Source

We serve more than 2,530 customers an average of 1,055,000 gallons of water per day. Our water is groundwater that we produce from local wells. The state has performed an assessment of our source water and they have determined that the relative susceptibility rating for the North Sioux City public water supply system is medium.

For more information about your water and information on opportunities to participate in public meetings, call (605) 232-4276 and ask for Susan Kloostra.

Additional Information

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- *Organic chemical contaminants*, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- *Radioactive contaminants*, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants can be obtained by calling the Environment Protection Agency's Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of North Sioux City public water supply system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Detected Contaminants

The attached table lists all the drinking water contaminants that we detected during the 2015 calendar year. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done January 1 – December 31, 2015. The state requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old.

2015 Table of Detected Contaminants For North Sioux City (EPA ID 0226)

Terms and abbreviations used in this table:

- * Maximum Contaminant Level Goal(MCLG): the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- * Maximum Contaminant Level(MCL): the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- * Action Level(AL): the concentration of a contaminant which, when exceeded, triggers treatment or other requirements which a water system must follow. For Lead and Copper, 90% of the samples must be below the AL.
- * Treatment Technique(TT): A required process intended to reduce the level of a contaminant in drinking water. For turbidity, 95% of samples must be less than 0.3 NTU

Units:

- *MFL: million fibers per liter
- *mrem/year: millirems per year(a measure of radiation absorbed by the body)
- *NTU: Nephelometric Turbidity Units
- *pCi/l: picocuries per liter(a measure of radioactivity)
- *ppm: parts per million, or milligrams per liter(mg/l)
- *ppb: parts per billion, or micrograms per liter(ug/l)
- *ppt: parts per trillion, or nanograms per liter
- *ppq: parts per quadrillion, or picograms per liter
- *pspm: positive samples per month

Substance	90% Level	Test Sites > Action Level	Date Tested	Highest Level Allowed (AL)	Ideal Goal	Units	Major Source of Contaminant
Copper	0.1	0	07/11/14	AL=1.3	0	ppm	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.
Lead	3	0	07/11/14	AL=15	0	ppb	Corrosion of household plumbing systems; erosion of natural deposits.

Substance	Highest Level Detected	Range	Date Tested	Highest Level Allowed (MCL)	Ideal Goal (MCLG)	Units	Major Source of Contaminant
Alpha emitters	3	ND - 3	05/20/14	15	0	pCi/l	Erosion of natural deposits.
Arsenic	1	ND - 1	11/09/11	10	NA	ppb	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes.
Barium	0.005	0.025 - 0.005	11/09/11	2	2	ppm	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
Chromium	5.1	2.2 - 5.1	11/09/11	100	100	ppb	Discharge from steel and pulp mills; erosion of natural deposits.
Combined Radium	2	ND - 2	05/20/14	5	0	pCi/l	Erosion of natural deposits.
Fluoride	1.4	0.6 - 1.4	11/30/11	4	4	ppm	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
Haloacetic Acids	2.84		08/24/15	60	0	ppb	By-product of drinking water chlorination.
Selenium	0.8	0.7 - 0.8	11/09/11	50	50	ppb	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines.
Total trihalomethanes	3.67		08/24/15	80	0	ppb	By-product of drinking water chlorination.

Please direct questions regarding this information to Mr Tim Hogan with the North Sioux City public water system at (605) 232-4276.



City Council MEMO

504 River Drive
North Sioux City, SD 57049
Phone (605) 232-4276
Fax (605) 232-0506

To: City Council
From: Ted Cherry – City Administrator
Date: 3/7/2016
Re: Greg McKenzie – Property Abatement

Background: The Union County Auditor's office incorrectly charge property taxes to Greg McKenzie. This was the result of an error in sizing the property. The Auditors offices had fixed this issue and is asking for a reimbursement of property taxes from the four taxing entities including the City of North Sioux City.

Financial Consideration: \$18.32 will be sent back to the Union County Auditors office.

Recommendation: Approval of the refund of \$18.32 to the Union County Auditor's office for excessive property taxes on Greg McKenzie's property.

Parcel 05.01.07.1045 had been an exempt property owned by the City of North Sioux City until January 22, 2014 when purchased by Greg McKenzie. The legal description had never had Lot H-1 (indicates road) lessed out with a Plat that was recorded with the Register of Deeds in 1994. When the property transferred in 2014 it was not caught by the Assessors' office. Lot 11 should have only been a 15.59 x 130 instead of a 50 x 130 lot. This has been corrected for the 2016 assessment year. A parcel number for Lot H-1 has been created for the 2016 assessment year and is 34.41 x 130 in size.



MCKENZIE ABATEMENT

2015 TAX CALCULATION

SHOULD HAVE BEEN

\$10,052 - ASSESSED VALUE
 X .939 - FACTOR
X .02254 - MIL
 \$212.76 - TAX

\$2,469 - ASSESSED VALUE
 X .939 FACTOR
X .02254 - MIL
 \$52.26 - TAX

\$160.50 - ABATEMENT

Abate:


North Sioux City - 18.32

DV School - 112.63

Union County - 24.32

DVEM - 5.23

160.50



City Council MEMO

504 River Drive
North Sioux City, SD 57049
Phone (605) 232-4276
Fax (605) 232-0506

To: Mayor Fredericksen
Council Members
Ted Cherry
From: Chief Rich Headid / Susan Kloostra
Date: 3/4/2016
Re: Personnel

Officer Faustin Mahlke's probation ended February 20. On February 27, he completed and became a certified officer from the Enforcement Training (LET) Academy in Pierre. A motion is necessary to upgrade Mahlke's employment status from probationary to regular and increase his wage to the certified police officer rate of \$18.20 retroactive to his certification date.

Chief Headid and Ted are in agreement to offer the open officer position to Andrew Ryan as a Police Officer at a non-certified hourly wage of \$16.59, subject to the required six month probation period.

Thank you.

/srk



City Council MEMO

504 River Drive
North Sioux City, SD 57049
Phone (605) 232-4276
Fax (605) 232-0506

To: Mayor Fredericksen
Council Members
From: Susan Kloostr
Date: 3/4/2016
Re: Equalization Board Meeting

Background: The Local Equalization Board will meet March 21 for the purpose of reviewing, correcting and equalizing the assessment of property. The board consist of the governing board of the municipality and a member of the school board.

The board's primary function is to determine that all taxable properties have been placed on the assessment roll and that a reasonable degree of equalization exists among these properties. The board, however, may only equalize assessments between individual properties. During the hearing, the property owner must explain the reason for appealing the assessment and provide evidence to prove the point. Stating the value is too high is not enough.

The following notice appears on the back of all real estate assessment notices.

ASSESSOR'S NOTICE TO PROPERTY OWNERS Required by SDCL 10-6-50 (PT-5U) (7/09)
THIS IS NOT A TAX BILL

The other side is a correct copy of the list of property assessed to you.

Complaint on your assessment may be made to your local Township or Municipal Board of Equalization by filing a written notice of appeal with the clerk of the local board of equalization *no later than the Thursday preceding the third Monday in March. (postmarked by deadline is considered timely)* The local board of equalization meets on the third Monday in March and is in session for five days. From the decision of your local board, you may appeal to your county board by *filing a written notice of appeal with the county auditor on or before the first Tuesday in April. (postmarked by deadline is considered timely)* County Board of Equalization meets on the second Tuesday in April and shall adjourn no later than three weeks after the second Tuesday in April. Appeal from your County Board may be taken to the State Office of Hearing Examiners. Such *written notice* must be filed with the Chief Hearing Examiner, Foss Building, 523 East Capitol, Pierre, South Dakota, 57501 *no later than the third Friday in May (postmarked by deadline is considered timely)*. Appeals to the Circuit Court may be taken from the county board or the Office of Hearing Examiners within thirty days from the publication of the decision. An appeal from the county board to circuit court will prevent an appeal to the Office of Hearing Examiner. However, you may appeal the decision of the Office of Hearings Examiner to circuit court.

The appeal must be submitted in writing along with supporting documentation by 5 p.m. March 17.

Union County performed a reval in 2015 and the last reval was in the early 1990's. As of Tuesday, the county had received five inquiries and I received one.

Financial Consideration: None.

Recommendation: Because there is the potential to have more appeals than in past years, I would like to recommend starting the meeting at 5:45 p.m. or sooner if required by the number of appeals.

/srk



City Council MEMO

504 River Drive
North Sioux City, SD 57049
Phone (605) 232-4276
Fax (605) 232-0506

To: City Council Members
From: Ted Cherry, City Administrator
Date: March 7, 2016
Re: SIMPCO Board Appointments

Background: SIMPCO, the areas transportation organization which North Sioux City is a member of, is requesting two members of the North Sioux City Council to sit on boards which have an impact on our community.

The first board is the MPO (Metropolitan Planning Organization). Their goal is provide a forum in order to determine transportation objectives to meet the needs members of the metro area. This is an organization required by the federal government in every urban area in the country. It assists in building a regional agreement on transportation issues among local governments, state agencies, and transportation authority. The MPO board is required to help produce the transportation plan that presents the vision of the regional transportation system over a span of 20 years and is reviewed and updated every 5 years.

The MPO board meets the first Thursday every other month at 1:30. The meetings are expected to last between 1 and 1 ½ hours.

The SIMPCO board is the overall governing body of SIMPCO. Their goal is to address concerns of the region that have a potential of being resolved effectively by cooperative efforts. Their goal is to take positions on important issues affecting the regions and adopt clear and concise positions which can be addressed with local, state, and federal officials. This board is a catalyst for regional cooperation, uniting governments to provide the best possible planning moving forward into the future.

The SIMPCO board meets every other month on the 2nd Thursday of the month. This is a lunch meeting with lunch provided. They should expect to last between 1 and 2 hours.

Financial Consideration: None, we are currently a due paying member.

Recommendation: Administration recommends the nomination of individuals to sit on these two boards.

Month	Committee	Date	Time	Location
January	MPO Policy Board	01/07/16	1:30	SIMPCO
	SIMPCO Board of Directors	01/21/16	12:00 PM	SIMPCO
February	Committee	Date	Time	Location
March	MPO Policy Board	03/03/16	1:30 PM	SIMPCO
	SIMPCO Board of Directors	03/17/16	12:00 PM	SIMPCO
April	Committee	Date	Time	Location
May	MPO Policy Board	05/05/16	1:30 PM	SIMPCO
	SIMPCO Board of Directors & Council of Officials Annual Meeting	05/12/16	TBA	TBA
June	Committee	Date	Time	Location
July	MPO Policy Board	07/07/16	1:30 PM	SIMPCO
	SIMPCO Board of Directors	08/11/16	12:00 PM	SIMPCO
August	Committee	Date	Time	Location

Month	Committee	Date	Time	Location
September	MPO Policy Board	09/08/16	1:30 PM	SIMPCO
October	SIMPCO Board of Directors	10/13/16	12:00 PM	SIMPCO
November	MPO Policy Board	11/03/16	1:30 PM	SIMPCO
December	SIMPCO Board of Directors & Council of Officials	12/08/16	12:00 PM	TBA



City Council MEMO

504 River Drive
North Sioux City, SD 57049
Phone (605) 232-4276
Fax (605) 232-0506

To: Mayor Fredericksen
Council Members
Ted Cherry
From: Susan Kloostra
Date: 3/4/2016
Re: Sales Tax Reinvestment Authorization

Background:

In 2014, the Governor's Office of Economic Development (GOED) and Kory Menken worked to attract Consumers Supply Distributing, LLC to build its new facility in North Sioux City. As an incentive to pick our City for their site, Consumers Supply was offered a reinvestment program that returns a portion of the company's sales tax to them. The program is administered out of the GOED's office and the sales tax payments are substantiated by the Department of Revenue. The project was completed in January 2016. On February 29, GOED has verified the project conforms to the program, and they are issuing a reinvestment payment in the amount of \$240,852.

Financial Consideration:

The City needs to issue a check to Consumers Supply for the agreed upon portion of sales tax in the amount of \$120,000.

Recommendation:

During the council meeting, we need a motion to authorize the funds to be moved from the unassigned cash balance to the Economic Opportunity account and approve the reinvestment payment for \$120,000.

Thank you.

/srk

Susan Kloostra

From: Wright, Cherissa <Cherissa.Wright@state.sd.us>
Sent: Tuesday, May 13, 2014 10:50 AM
To: 'dan.patee@consumers-supply.com'
Cc: Turnwall, Mike
Subject: Reinvestment Payment Program Application

Hi Dan,

The application for Consumers Supply Distributing, LLC was approved by the Board of Economic Development for a Reinvestment Payment of \$240,852.00, but not to exceed the State Sales and Use tax paid on eligible equipment costs. Your Agreement will be mailed today.

Cherissa Nielson
Grant Administrator
Governor's Office of Economic Development
711 E Wells Ave
Pierre, SD 57501
605.773.3301 - Phone
605.773.3256 - Fax
cherissa.nielson@state.sd.us



Susan Kloostra

From: Kory Menken <Kory.Menken@northsiouxcity-sd.gov>
Sent: Monday, May 19, 2014 9:50 PM
To: Turnwall, Mike
Subject: FW: Reinvestment Payment Program Application

Importance: High

FYI - The City of North Sioux City will refund up to \$120,000 in local (2%) Sales and Use tax paid on eligible equipment costs for Consumers Supply.

Kory Menken
Executive Director
North Sioux City EDC
PO Box 1516
North Sioux City, SD 57049
(605) 232-4510
Kory.Menken@northsiouxcitydevelopment.com

-----Original Message-----

From: Kory Menken
Sent: Monday, May 19, 2014 9:49 PM
To: Dan Patee
Subject: RE: Reinvestment Payment Program Application
Importance: High

Dan:

I am happy to report that the City of North Sioux City will refund up to \$120,000 in local (2%) Sales and Use tax paid on eligible equipment costs.

Please let me know whenever I can be of further assistance. Thank you.

Kory Menken
Executive Director
North Sioux City EDC
PO Box 1516
North Sioux City, SD 57049
(605) 232-4510
Kory.Menken@northsiouxcitydevelopment.com

Affidavit for Reinvestment Payment

State of SOUTH DAKOTA
County of UNION

GLEN BOEHMER , being first duly sworn, deposes and states as follows:

1. I am the project ~~owner~~ MANAGER of the project described herein. My contact information is as follows:

Project Owner: CONSUMERS SUPPLY DISTRIBUTING, LLC

Project Contact Information: GLEN BOEHMER

Federal Employer's Identification Number (FEIN): 45-3782648

Address (Street, City, County, State, Zip): PO BOX 1820 718 NORTH DERBY LANE
NORTH SIOUX CITY, SD 57049

Telephone Number: 712- 255-6927 x302

Web Address: consumers-supply.com

E-Mail Address: glen.boehmer@consumers-supply.com

2. The general project description is as follows:
FEED MILL AND CORPORATE OFFICES
3. The location of the project is as follows:
718 NORTH DERBY LANE NORTH SIOUX CITY, SD 57049
4. The legal description of the project location is as follows: LOT 6 OF A PART OF LOT A IN THE NORTH HALF OF THE SOUTHEAST QUARTER AND OF SCHWEPPE TRACT 1 IN THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER AND THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER ALL IN SECTION 10 TOWNSHIP 89 NORTH RANGE 48 WEST OF THE 5TH PM NORTH SIOUX CITY UNION COUNTY SOUTH DAKOTA
5. The project was completed on 01-31-2016
6. The project, as completed, substantially conforms to the project described in the original application or as modified pursuant to ARSD 68:02:07:08. YES
7. The final project costs were as follows:
(please see the footnotes below for explanation)

- 1.) Equipment and materials purchased directly by you, must be included in column B or C, enter amount before sales tax
- 2.) Site Improvement – include parking lots, rail spurs, landscaping, etc.
- 3.) Existing Building – if you purchase an existing structure, enter the purchase price here
- 4.) Repairs & Renovations – costs incurred to repair/renovate an existing building go here
- 5.) Construction New Building – Enter contract price for new buildings/structures here
- 6.) Equipment – enter amount before sales tax, separately stated 3rd party installation costs should be entered in column D
- 7.) Include separately paid permits and platting fees here
- 8.) Enter internal costs being capitalized per GAAP here
- 9.) Any services that are not construction related (i.e. Architect, Engineering, etc.) when these services are not part of the contractor’s costs

8. The amount of South Dakota sales tax, use tax, and contractors excise tax paid for the construction of the project are as follows:

Sales Tax: \$ _____ \$132,194.88 _____
 Use Tax: \$ _____ \$191,227.45 _____
 Contractors Excise Tax: \$ _____ \$227,245.26 _____
 TOTAL SD TAXES PAID: \$ _____ \$550,667.59 _____

9. A comprehensive list of the contractors that performed work on the project, which includes each contractors name, address and telephone number, is attached hereto and incorporated herein by this reference as if set forth in full.

10. A comprehensive list of the subcontractors that performed work on the project, which includes each subcontractors name, address and telephone number, is attached hereto and incorporated herein by this reference as if set forth in full.

11. The reinvestment payment **was/was not** (circle one) assigned or transferred. If the reinvestment payment was assigned or transferred, the name and address of the person to whom the reinvestment payment has been assigned or transferred is as follows:

Name: _____

Address: _____

12. The reinvestment payment was a key component to the pursuance of the project and the expansion to/in South Dakota; If not for this incentive the project most likely would not have proceeded in South Dakota.

Dated this 5TH day of FEBRUAR, 2016.

Alan Boehmer for
Project Owner

CONSUMERS
SUPPLY
DISTRIBUTING

Subscribed and sworn to before me this 5TH day of FEBRUARY, 2016.

JEFF SIMMONS
IOWA NOTARIAL SEAL
COMMISSION NUMBER 749899
MY COMMISSION EXPIRES 11-14-2016

Jeff Simmons
Notary Public

(SEAL)

Notary Print Name: JEFF SIMMONS
My Commission Expires: 11/14/2016